



Volunteer Monitoring Quarterly Data Report

Beaver Lake Watershed - Benton, Washington and
Madison counties in Arkansas

Spring 2019

Monitoring Period: May 6 – June 10, 2019

A project of Ozarks Water Watch in Arkansas


*Prepared by: Angela Danovi
StreamSmart Coordinator
Ozarks Water Watch
1200 W. Walnut Street, Suite 3405
Rogers, AR 72745*



StreamSmart Monitoring Sites – 2018

| Site Number | Site Name | Lat/Long | Watershed |
|-------------|---------------------------------------|-----------------------|------------------|
| 101 | West Fork (Baptist Ford Bridge) | 35.982714, -94.173129 | West Fork |
| 102 | West Fork (Brentwood Park) | 35.865723, -94.117257 | West Fork |
| 103 | Baldwin Creek Near St. Paul | 35.822256, -93.758937 | Headwaters |
| 104 | White River Near St. Paul | 35.818676, -93.779774 | Headwaters |
| 107 | War Eagle Creek | 35.888319, -93.679017 | War Eagle |
| 108 | Ogden Creek | 35.887777, -93.679069 | War Eagle |
| 200 | Ward Slough | 35.997178, -94.173949 | West Fork |
| 201 | Middle Fork of W.R. at Harris Rd | 35.995825, -94.072894 | Middle Fork |
| 202 | Mullins Creek - U of A | 36.058808, -94.177805 | West Fork |
| 205 | Hock Creek | 36.022453, -93.859784 | Richland Creek |
| 206 | Spout Spring Branch | 36.055019, -94.161107 | West Fork |
| 210 | Town Branch (White River Ball fields) | 36.043179, -94.135852 | West Fork |
| 300 | Brush Creek | 36.131947, -93.947956 | Beaver Reservoir |
| 301 | War Eagle Creek (Huntsville) | 36.149997, -93.740137 | War Eagle |
| 302 | Glade Creek | 36.159851, -93.811690 | War Eagle |
| 303 | Clear Creek | 36.195153, -93.789276 | War Eagle |
| 304 | Clifty Creek | 36.239342, -93.907653 | War Eagle |
| 305 | War Eagle (Mill) | 36.267597, -93.943130 | War Eagle |
| 306 | Prairie Creek | 36.341208, -94.096513 | Beaver Reservoir |
| 307 | Holman Creek Upstream of Huntsville | 36.104418, -93.756750 | War Eagle |
| 308 | Holman Creek Downstream of Huntsville | 36.124453, -93.734211 | War Eagle |


Alkalinity Data – Spring 2019 StreamSmart




Spring 2019 Data

| Site | Alkalinity |
|------|------------|
| 101 | 64.0 |
| 102 | 28.0 |
| 103 | 6.0 |
| 104 | 10.0 |
| 200 | 28.0 |
| 201 | 124.0 |
| 202 | 42.0 |
| 205 | 168.0 |
| 206 | 110.0 |
| 210 | 38.0 |
| 300 | 188.0 |
| 301 | 118.0 |
| 302 | 122.0 |
| 303 | 54.0 |
| 304 | 96.0 |
| 305 | 62.0 |
| 306 | 74.0 |
| 307 | 126.0 |
| 308 | 60.0 |

Current, Previous Quarter, and 1 year ago - average, max, and min




| | Max | Min |
|--------|----------------------|---------------------|
| May-19 | 210 - Town Branch | 103 - Baldwin Creek |
| Feb-19 | 306 - Prairie Creek | 103 - Baldwin Creek |
| May-18 | 202 - Mullins Branch | 103 - Baldwin Creek |



Spring 2019 Data


| Site | Conductivity |
|------|--------------|
| 101 | 192.7 |
| 102 | 87.0 |
| 103 | 25.2 |
| 104 | 32.3 |
| 200 | 72.2 |
| 201 | 447.0 |
| 202 | 112.5 |
| 205 | 583.0 |
| 206 | 291.0 |
| 210 | 105.2 |
| 300 | 505.0 |
| 301 | 371.0 |
| 302 | 362.0 |
| 303 | 160.4 |
| 304 | 265.0 |
| 305 | 189.9 |
| 306 | 207.0 |
| 307 | 306.0 |
| 308 | 184.2 |

Current, Previous Quarter, and 1 year ago - average, max, and min



| | Max | Min |
|--------|---------------------|---------------------|
| May-19 | 202 - Mullins Creek | 103 - Baldwin Creek |
| Feb-19 | 202 - Mullins Creek | 103 - Baldwin Creek |
| May-18 | 202 - Mullins Creek | 103 - Baldwin Creek |


pH Data – February 2019 StreamSmart



Spring 2019 Data

| Site | pH |
|------|-----|
| 101 | 7.6 |
| 102 | 6.9 |
| 103 | 6.0 |
| 104 | 6.5 |
| 200 | 7.0 |
| 201 | 7.6 |
| 202 | 6.9 |
| 205 | 7.6 |
| 206 | 7.0 |
| 210 | 7.1 |
| 300 | 7.6 |
| 301 | 7.5 |
| 302 | 7.4 |
| 303 | 7.0 |
| 304 | 7.5 |
| 305 | 6.9 |
| 306 | 7.3 |
| 307 | 7.5 |
| 308 | 7.3 |


Total Dissolved Solids – Spring 2019 StreamSmart



Spring 2019 Data


| Site | TDS (mg/L) |
|------|------------|
| 101 | 112.4 |
| 102 | 52.9 |
| 103 | 26.9 |
| 104 | 32.2 |
| 200 | 46.2 |
| 201 | 257.3 |
| 202 | 68.0 |
| 205 | 344.9 |
| 206 | 161.8 |
| 210 | 60.9 |
| 300 | 276.4 |
| 301 | 190.0 |
| 302 | 200.7 |
| 303 | 89.8 |
| 304 | 154.2 |
| 305 | 112.2 |
| 306 | 118.9 |
| 307 | 174.0 |
| 308 | 105.1 |

Current, Previous Quarter, and 1 year ago - average, max, and min



| | Max | Min |
|--------|---------------------|---------------------|
| May-19 | 202 - Mullins Creek | 103 - Baldwin Creek |
| Feb-19 | 202 - Mullins Creek | 103 - Baldwin Creek |
| May-18 | 202 - Mullins Creek | 103 - Baldwin Creek |


Total Suspended Solids – Spring 2019 StreamSmart



Spring 2019 Data


Current, Previous Quarter, and 1 year ago - average, max, and min

| Site | TSS (mg/L) |
|------|------------|
| 101 | 6.0 |
| 102 | 2.7 |
| 103 | 2.2 |
| 104 | 3.1 |
| 200 | 4.7 |
| 201 | 2.1 |
| 202 | 0.9 |
| 205 | 4.2 |
| 206 | 2.6 |
| 210 | 1.9 |
| 300 | 2.8 |
| 301 | 6.3 |
| 302 | 1.6 |
| 303 | 5.2 |
| 304 | 1.5 |
| 305 | 2.5 |
| 306 | 8.0 |
| 307 | 4.5 |
| 308 | 1.7 |



| | Max | Min |
|--------|----------------------|----------------------------------------|
| May-19 | 305 - War Eagle Mill | 201 - Middle Fork of W.R. at Harris Rd |
| Feb-19 | 305 - War Eagle Mill | 303 - Clear Creek |
| May-18 | 305 - War Eagle Mill | 206 - Spout Spring Branch |


Total Nitrogen – Spring 2019 StreamSmart



Spring 2019 Data


Current, Previous Quarter, and 1 year ago - average, max, and min

| Site | TN (mg/L) |
|------|-----------|
| 101 | 0.37 |
| 102 | 0.39 |
| 103 | 0.09 |
| 104 | 0.24 |
| 200 | 0.30 |
| 201 | 0.45 |
| 202 | 0.54 |
| 205 | 1.26 |
| 206 | 4.49 |
| 210 | 0.74 |
| 300 | 1.04 |
| 301 | 0.89 |
| 302 | 4.56 |
| 303 | 1.22 |
| 304 | 3.21 |
| 305 | 4.24 |
| 306 | 2.01 |
| 307 | 1.97 |
| 308 | 1.21 |



| | Max | Min |
|--------|----------------------------|---------------------------------|
| May-19 | 301 - War Eagle Huntsville | 103 - Baldwin Creek |
| Feb-19 | 300 - Brush Creek | 103 - Baldwin Creek |
| May-18 | 302 - Glade Creek | 104 - White River near St. Paul |


Total Phosphorus – Spring 2019 StreamSmart



Spring 2019 Data

| Site | TP (mg/L) |
|------|-----------|
| 101 | NA |
| 102 | NA |
| 103 | 0.001 |
| 104 | 0.014 |
| 200 | 0.013 |
| 201 | 0.000 |
| 202 | 0.000 |
| 205 | 0.018 |
| 206 | 0.015 |
| 210 | 0.009 |
| 300 | 0.006 |
| 301 | 0.014 |
| 302 | 0.014 |
| 303 | 0.011 |
| 304 | 0.015 |
| 305 | 0.012 |
| 306 | 0.007 |
| 307 | 0.003 |
| 308 | 0.010 |

Current, Previous Quarter, and 1 year ago - average, max, and min



| | Max | Min |
|--------|-------------------------------------|--------------------------------|
| May-19 | 300 - Brush Creek | 102 - West Fork Brentwood Park |
| Feb-19 | 308 - Holman Creek DS of Huntsville | 201 - Middle Fork of W.R. |
| May-18 | 308 - Holman Creek DS of Huntsville | 201 - MF of WR at Harris Rd. |

What is Alkalinity?

Alkalinity is the water's capacity to resist changes in pH that would make the water more acidic. Alkalinity refers to the capability of water to neutralize acid. The alkalinity of natural water is determined by the soil and bedrock through which it passes. The main sources for natural alkalinity are rocks which contain carbonate, bicarbonate, and hydroxide compounds. Limestone is rich in carbonates, so waters flowing through limestone regions or bedrock containing carbonates generally have high alkalinity - hence good buffering capacity. Conversely, areas rich in granites and some conglomerates and sandstones may have low alkalinity and, therefore, poor buffering capacity.

Alkalinity is important for fish and aquatic life because it protects or buffers against rapid pH changes. Living organisms, especially aquatic life, function best in a pH range of 6.0 to 9.0. Alkalinity is a measure of how much acid can be added to a liquid without causing a large change in pH. Higher alkalinity levels in surface waters will buffer acid rain and other acid wastes and prevent pH changes that are harmful to aquatic life.

<http://www.water-research.net/index.php/the-role-of-alkalinity-citizen-monitoring>

What is Conductivity:

Conductivity is a measurement of the ability of an aqueous solution to carry an electrical current. Typically, the units of measure are microhms/cm (uohms/cm) or microsiemens/cm (uS/cm). Conductivity or specific conductance is a measure of the ability of a fluid to carry a charge which is directly related to the concentration of dissolved substances. As the total dissolved substances in the water increases, the conductivity of the water also increases.

<http://www.water-research.net/index.php/drinking-water-testing-and-conductivity-of-water>

What is pH:

pH measurements run on a scale from 0 to 14, with 7.0 considered neutral. Solutions with a pH below 7.0 are considered acids. Solutions with a pH above 7.0, up to 14.0 are considered bases. Living organisms, especially aquatic life, function best in a pH range of 6.0 to 9.0.

The pH scale is logarithmic, so every one-unit change in pH represents a ten-fold change in acidity. In other words, pH 6.0 is ten times more acidic than pH 7.0; pH 5 is one hundred times more acidic than pH 7.0.

The pH of a body of water is affected by several factors including the bedrock and soil composition through which the water moves. Some rock types such as limestone can, to an extent, neutralize acid. Another factor which affects the pH is the amount of plant growth and organic material within a body of water. When this material decomposes carbon dioxide is released. The carbon dioxide combines with water to form carbonic acid. Although this is a weak acid, large amounts of it will lower the pH. A third factor which determines the pH of a body of water is the dumping of chemicals into the water by individuals, industries, and communities.

Changes in the pH value of water are important to many organisms. Most organisms have adapted to life in water of a specific pH and may die if it changes even slightly. This is especially true of aquatic macroinvertebrates and fish eggs and fry.

<http://www.water-research.net/index.php/ph-in-the-environment>

What is Total Dissolved Solids?

A water quality parameter defining the concentration of dissolved organic and inorganic chemicals in water. After suspended solids are filtered from water and water is evaporated, dissolved solids are the remaining residue. An elevated total dissolved solids concentration does not mean that the water is a health hazard, but it does mean the water may have aesthetic problems, such as taste and odor, or cause nuisance problems.

<http://www.water-research.net/index.php/water-treatment/tools/total-dissolved-solids>

What is Total Suspended Solids?

The suspended or colloidal particles, commonly referred to as total suspended solids (TSS), are all the extremely small suspended solids in water which will not settle out by gravity. TSS is measured on a sample of water (which has been settled) and are those particles which will not pass through a very fine filter.

TSS in streams in northwest Arkansas usually range from 0.1 to 20 mg/L but can get as high as 500 mg/L during storm flows because the faster water moves the more sediment it can carry and the more force it has to cause erosion of the stream banks and channel.

What is Total Phosphorus?

Phosphorus occurs naturally in rocks and other mineral deposits. During the natural process of weathering, the rocks gradually release the phosphorus as phosphate ions which are soluble in water and the mineralize phosphate compounds breakdown. Phosphorus is one of the key elements necessary for the growth of plants and animals and in lake ecosystems it tends to be the growth-limiting nutrient.

Total phosphorus is a measure of all the forms of phosphorus in the sample (orthophosphate, condensed phosphate, and organic phosphate). This is accomplished by first "digesting" (heating and acidifying) the sample to convert all the other forms to orthophosphate. Then the orthophosphate is measured by the ascorbic acid method. Because the sample is not filtered, the procedure measures both dissolved and suspended orthophosphate. Monitoring phosphorus is challenging because it involves measuring very low concentrations down to 0.01 milligram per liter (mg/L) or even lower. Even such very low concentrations of phosphorus can have a dramatic impact on streams.

What is Total Nitrogen?

There are three forms of nitrogen that are commonly measured in water bodies: ammonia, nitrates and nitrites. Total nitrogen is the sum of total kjeldahl nitrogen (ammonia, organic and reduced nitrogen) and nitrate-nitrite. It can be derived by monitoring for organic nitrogen compounds, free-ammonia, and nitrate-nitrite individually and adding the components together. An acceptable range of total nitrogen is 2 mg/L to 6 mg/L, though variations from this range can occur. We measure total Nitrogen as part of our on-going monitoring of nutrients concentrations in surface water.